


# U.S. Drought Monitor

January 9, 2024  
(Released Thursday, Jan. 11, 2024)

Valid 7 a.m. EST






### Drought Impact Types:

- ~ Delineates dominant impacts
- S = Short-Term, typically less than 6 months (e.g. agriculture, grasslands)
- L = Long-Term, typically greater than 6 months (e.g. hydrology, ecology)

### Intensity:

- None
- D0 Abnormally Dry
- D1 Moderate Drought
- D2 Severe Drought
- D3 Extreme Drought
- D4 Exceptional Drought

Author:  
Adam Hartman  
NOAA/NWS/NCEP/CPC



The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. For more information on the Drought Monitor, go to <https://droughtmonitor.unl.edu/About.aspx>



[droughtmonitor.unl.edu](https://droughtmonitor.unl.edu)


# Agriculture in Drought\*




	Jan 9	Previous		Change		
	2024	Week	Year	Week	Year	
Corn	45%	45%	47%	0%	-2%	<i>(summer crops)</i>
Soybeans	52%	50%	39%	2%	13%	
Cotton	31%	33%	51%	-2%	-20%	
Peanuts	7%	6%	59%	1%	-52%	
Rice	67%	55%	21%	12%	46%	
Sunflowers	7%	7%	56%	0%	-49%	
Barley	16%	16%	66%	0%	-50%	
Sorghum	31%	36%	76%	-5%	-45%	
Durum Wheat	10%	10%	80%	0%	-70%	
Spring Wheat	26%	25%	66%	1%	-40%	
Winter Wheat	33%	32%	59%	1%	-26%	<i>(winter crop)</i>
Hay	31%	33%	41%	-2%	-10%	<i>(forage)</i>
Alfalfa Hay	22%	23%	53%	-1%	-31%	
Cattle	30%	35%	57%	-5%	-27%	<i>(livestock)</i>
Milk Cows	20%	23%	44%	-3%	-24%	
Hogs	50%	50%	56%	0%	-6%	
Sheep	27%	29%	46%	-2%	-19%	
Sugarbeets	15%	15%	75%	0%	-60%	<i>(sugar)</i>
Sugarcane	43%	44%	0%	-1%	43%	

\* Numbers represent the percent of each commodity located in moderate or more intense drought (D1+) and the changes since last week and last year.

# ***Barley Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Crop Area
-  Minor Crop Area

Approximately **16%** of barley production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*


## Percent of Barley Located in Drought January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.


# Percent of United States Barley Located in Drought






Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Corn Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Crop Area
-  Minor Crop Area

Approximately **45%** of corn  
production is within an area  
experiencing drought.


*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*

## Percent of Corn Located in Drought January 9, 2024



Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Corn Located in Drought




Drought percentages are approximated using the U.S. Drought Monitor product.



# ***Cotton Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




Approximately **31%** of cotton production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*

# Percent of Cotton Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Cotton Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Peanut Areas in Drought***


Reflects **January 9, 2024**  
U.S. Drought Monitor data



Approximately **7%** of peanut production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*


## Percent of Peanuts Located in Drought January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.


# Percent of United States Peanuts Located in Drought



Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Rice Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




Approximately **67%** of rice  
production is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*

# Percent of Rice Located in Drought

## January 9, 2024




- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.



# Percent of United States Rice Located in Drought







- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Sorghum Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Crop Area
-  Minor Crop Area

Approximately **31%** of sorghum production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*


## Percent of Sorghum Located in Drought January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Sorghum Located in Drought







- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Soybean Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Crop Area
-  Minor Crop Area

Approximately **52%** of soybean  
production is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*


## Percent of Soybeans Located in Drought January 9, 2024



Percent in Moderate Drought (D1)
  Percent in Severe Drought (D2)
  Percent in Extreme Drought (D3)
  Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Soybeans Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)




Drought percentages are approximated using the U.S. Drought Monitor product.

# Sunflower Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*

Reflects **January 9, 2024**  
U.S. Drought Monitor data



-  Drought Area
-  Major Crop Area
-  Minor Crop Area


Approximately **7%** of sunflower  
production is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*



# Percent of Sunflowers Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Sunflowers Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# Durum Wheat Areas in Drought


*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*

Reflects **January 9, 2024**  
U.S. Drought Monitor data



# Percent of Durum Wheat Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Durum Wheat Located in Drought




Drought percentages are approximated using the U.S. Drought Monitor product.

# Spring Wheat Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*

Reflects **January 9, 2024**  
U.S. Drought Monitor data




Approximately **26%** of spring wheat  
production is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*

# Percent of Spring Wheat Located in Drought


## January 9, 2024



■ Percent in Moderate Drought (D1)     ■ Percent in Severe Drought (D2)  
■ Percent in Extreme Drought (D3)     ■ Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Spring Wheat Located in Drought




Drought percentages are approximated using the U.S. Drought Monitor product.



# Winter Wheat Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*


Reflects **January 9, 2024**  
U.S. Drought Monitor data



Approximately **33%** of winter wheat production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*


## Percent of Winter Wheat Located in Drought January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Winter Wheat Located in Drought







- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Hay Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Hay Area
-  Minor Hay Area

Approximately **31%** of hay acreage is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*

# Percent of Hay Located in Drought


## January 9, 2024



■ Percent in Moderate Drought (D1)     ■ Percent in Severe Drought (D2)  
■ Percent in Extreme Drought (D3)      Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Hay Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# Alfalfa Hay Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*

Reflects **January 9, 2024**  
U.S. Drought Monitor data




Approximately **22%** of alfalfa hay acreage is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*

# Percent of Alfalfa Hay Located in Drought


## January 9, 2024



Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.




# Percent of United States Alfalfa Hay Located in Drought



Drought percentages are approximated using the U.S. Drought Monitor product.

# Hog Areas in Drought

Reflects **January 9, 2024**  
U.S. Drought Monitor data




Approximately **50%** of the hog inventory is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*

## Percent of Hogs Located in Drought


### January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Hogs Located in Drought







- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Cattle Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Livestock Area
-  Minor Livestock Area

**Approximately 30%** of the cattle  
inventory is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*


# Percent of Cattle Located in Drought

## January 9, 2024



Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Cattle Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# ***Milk Cow Areas in Drought***

Reflects **January 9, 2024**  
U.S. Drought Monitor data



- Drought Area
- Major Livestock Area
- Minor Livestock Area


Approximately **20%** of the milk cow inventory is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*



# Percent of Milk Cows Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.


# Percent of United States Milk Cows Located in Drought






Drought percentages are approximated using the U.S. Drought Monitor product.

# Sheep Areas in Drought

Reflects **January 9, 2024**  
U.S. Drought Monitor data




-  Drought Area
-  Major Livestock Area
-  Minor Livestock Area

Approximately **27%** of the sheep  
inventory is within an area  
experiencing drought.

*Major and minor agricultural areas are  
delineated using NASS 2017 Census of  
Agriculture data. Drought areas are  
identified using the U.S. Drought Monitor  
product.*

# Percent of Sheep Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Sheep Located in Drought




- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product.

# Sugarbeet Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*

Reflects **January 9, 2024**  
U.S. Drought Monitor data




- Drought Area
- Major Crop Area
- Minor Crop Area

Approximately **15%** of sugarbeet production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*

# Percent of Sugarbeets Located in Drought


## January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Sugarbeets Located in Drought




Drought percentages are approximated using the U.S. Drought Monitor product.



# Sugarcane Areas in Drought

*This product was prepared by the  
USDA Office of the Chief Economist (OCE)  
World Agricultural Outlook Board (WAOB)*


Reflects **January 9, 2024**  
U.S. Drought Monitor data



Approximately **43%** of sugarcane production is within an area experiencing drought.

*Major and minor agricultural areas are delineated using NASS 2017 Census of Agriculture data. Drought areas are identified using the U.S. Drought Monitor product.*


## Percent of Sugarcane Located in Drought January 9, 2024



- Percent in Moderate Drought (D1)
- Percent in Severe Drought (D2)
- Percent in Extreme Drought (D3)
- Percent in Exceptional Drought (D4)

Drought percentages are approximated using the U.S. Drought Monitor product. State contributions to national production (percentages in parentheses) are derived from NASS 2017 Census of Agriculture data.

# Percent of United States Sugarcane Located in Drought



Drought percentages are approximated using the U.S. Drought Monitor product.